



PRE-CONSTRUCTION SITE CHECKLIST AFFIDAVIT

STATE OF FLORIDA
COUNTY OF ST. LUCIE

BEFORE ME, the undersigned authority, personally appeared _____ who, after first being duly sworn, deposes and says of his personal knowledge as follows:

(1) He/She is the _____ of _____, which does business in the State of Florida, hereinafter called the "Contractor."

(2) This Affidavit is executed by the Contractor for the purposes of obtaining pre-construction site plan approval.

Yes No **Pre-construction site plan stamped and approved by The Fire Marshal.**

16.1.2 A fire protection plan shall be established where required by the AHJ.

16.3.1.2 All of the following items shall be addressed in the fire safety program: (1) Good housekeeping (2) On-site security (3) Fire protection systems (a) For construction operations, installation of new fire protection systems as construction progresses (b) For demolition operations, preservation of existing fire protection systems during demolition (4) Organization and training of an on-site fire brigade (5) Development of a pre-fire plan with the local fire department (6) Rapid communication (7) Consideration of special hazards resulting from previous occupancies (8) Protection of existing structures and equipment from exposure fires resulting from construction, alteration, and demolition operations.

16.1.3* In buildings under construction, adequate escape facilities shall be maintained at all times for the use of construction workers. Escape facilities shall consist of doors, walkways, stairs, ramps, fire escapes, ladders, or other approved means or devices arranged in accordance with the general principles of Chapter 14 and NFPA 101 insofar as they can reasonably be applied to buildings under construction.

Yes No **Pre-construction fire department access approved by The Fire Marshal.**

18.2.1 Fire department access and fire department access roads shall be provided and maintained in accordance with Section 18.2.

18.2.3 Fire Department Access Roads.

18.2.3.1 Required Access.

18.2.3.1.1 Approved fire department access roads shall be provided for every facility, building, or portion of a building hereafter constructed or relocated.

16.1.4 Fire department access roads provided in accordance with 18.2.3 shall be provided at the start of a project and shall be maintained throughout construction.

Yes No **Pre-construction on-site credible water supply approved by The Fire Marshal.**

18.3 Water Supplies.

18.3.1* An approved water supply capable of supplying the required fire flow for fire protection shall be provided to all premises upon which facilities, buildings, or portions of buildings are hereafter constructed or moved into the jurisdiction. The approved water supply shall be in accordance with Section 18.4.

18.3.1.1* Where no adequate or reliable water distribution system exists, approved reservoirs, pressure tanks, elevated tanks, fire department tanker shuttles, or other approved systems capable of providing the required fire flow shall be permitted.

16.4.3 Fire Protection During Construction.

16.4.3.1 Water Supply.

16.4.3.1.1* A water supply for fire protection, either temporary or permanent, shall be made available as soon as combustible material accumulates.

Signed, sealed and delivered this _____ day of _____, 2022.

BY: _____

Sworn to and subscribed before me this _____ day of _____, 20__ . _____ Notary Public, State of Florida at Large. _____ is / is not known personally to me and did / did not take an oath. Type of identification produced: _____. My commission expires: _____ (seal)

"Our Family Serving Yours"

5160 N.W. Milner Drive, Port St. Lucie, Florida 34983-3392

Telephone: (772) 621-3400 Fax: (772) 621-3500

www.slcfcd.com